

SQL POSITIVE RETURN CODES IN DB2 12



(This article is part of our [Db2 Guide](#). Use the right-hand menu to navigate.)

000	SUCCESSFUL EXECUTION
+012	THE UNQUALIFIED COLUMN NAME <i>column-name</i> WAS INTERPRETED AS A CORRELATED REFERENCE
+098	A DYNAMIC SQL STATEMENT ENDS WITH A SEMICOLON
+100	ROW NOT FOUND FOR FETCH, UPDATE OR DELETE, OR THE RESULT OF A QUERY IS AN EMPTY TABLE
+110	SQL UPDATE TO A DATA CAPTURE TABLE NOT SIGNALLED TO ORIGINATING SUBSYSTEM
+111	THE SUBPAGES OPTION IS NOT SUPPORTED FOR TYPE 2 INDEXES
+117	THE NUMBER OF INSERT VALUES IS NOT THE SAME AS THE NUMBER OF OBJECT COLUMNS
+162	TABLESPACE <i>database-name.tablespace-name</i> HAS BEEN PLACED IN CHECK PENDING
+203	THE QUALIFIED COLUMN NAME <i>column-name</i> WAS RESOLVED USING A NON-UNIQUE OR UNEXPOSED NAME
+204	<i>name</i> IS AN UNDEFINED NAME
+205	<i>column-name</i> IS NOT A COLUMN OF TABLE <i>insert-name</i>

+206 *column-name* IS NOT A COLUMN OF AN INSERTED TABLE, UPDATED
TABLE, OR ANY TABLE IDENTIFIED IN A FROM CLAUSE

+217 THE STATEMENT WAS NOT EXECUTED AS ONLY EXPLAIN INFORMATION
REQUESTS ARE BEING PROCESSED

+218 THE SQL STATEMENT REFERENCING A REMOTE OBJECT CANNOT BE
EXPLAINED

+219 THE REQUIRED EXPLANATION TABLE *table-name* DOES NOT EXIST

+220 THE COLUMN *column-name* IN EXPLANATION TABLE *table-name* IS
NOT DEFINED PROPERLY

+222 HOLE DETECTED USING CURSOR *cursor-name*

+231 CURRENT POSITION OF CURSOR *cursor-name* IS NOT VALID FOR THE
SPECIFIED FETCH ORIENTATION OF THE CURRENT ROW OR ROWSET

+236 SQLDA INCLUDES *integer1* SQLVAR ENTIRES, BUT *integer2* ARE
REQUIRED FOR *integer3* COLUMNS

+236 SQLDA INCLUDES *integer1* SQLVAR ENTIRES, BUT *integer2* ARE
REQUIRED FOR *integer3* COLUMNS

+237 SQLDA INCLUDES *integer1* SQLVAR ENTIRES, BUT *integer2* ARE
REQUIRED BECAUSE AT LEAST ONE OF THE COLUMNS BEING
DESCRIBED IS A DISTINCT TYPE

+238 SQLDA INCLUDES *integer1* SQLVAR ENTIRES, BUT *integer2* SQLVAR
ENTRIES ARE NEEDED FOR *integer3* COLUMNS BECAUSE AT LEAST
ONE OF THE COLUMNS BEING DESCRIBED IS A DISTINCT TYPE

+239 SQLDA INCLUDES *integer1* SQLVAR ENTIRES, BUT *integer2* ARE
REQUIRED FOR *integer3* COLUMNS BECAUSE AT LEAST ONE OF THE
COLUMNS BEING DESCRIBED IS A DISTINCT TYPE

+252 A NON-ATOMIC statement STATEMENT SUCCESSFULLY PROCESSED ALL
REQUESTED ROWS, WITH ONE OR MORE WARNING CONDITION

+304 A VALUE WITH DATA TYPE *data-type1* CANNOT BE ASSIGNED TO A
HOST VARIABLE BECAUSE THE VALUE IS NOT WITHIN THE RANGE OF
THE HOST VARIABLE IN POSITION *position-number* WITH DATA
TYPE *data-type2*

+331 THE NULL VALUE HAS BEEN ASSIGNED TO A HOST VARIABLE OR
PARAMETER BECAUSE THE STRING CANNOT BE CONVERTED FROM
source-ccsid TO *target-ccsid*. REASON *reason-code*, POSITION
position-number

+335 DBS CONVERTED A HOST VARIABLE, PARAMETER, OR COLUMN NUMBER
var-num var-name-or-num TO COLUMN NAME, HOST VARIABLE, OR
EXPRESSION NUMBER *col-name-or-num* FROM *from ccid* TO *to-
ccsid*, AND RESULTING IN SUBSTITUTION CHARACTERS

+339 THE SQL STATEMENT HAS BEEN SUCCESSFULLY EXECUTED, BUT THERE
MAY BE SOME CHARACTER CONVERSION INCONSISTENCIES

+347 THE RECURSIVE COMMON TABLE EXPRESSION *name* MAY CONTAIN AN
INFINITE LOOP

+354 A ROWSET FETCH STATEMENT MAY HAVE RETURNED ONE OR MORE ROWS
OF DATA. HOWEVER, ONE OR MORE WARNING CONDITIONS WERE ALSO
ENCOUNTERED. USE THE GET DIAGNOSTICS STATEMENT FOR MORE
INFORMATION REGARDING THE CONDITIONS THAT WERE ENCOUNTERED
+361 COMMAND WAS SUCCESSFUL BUT RESULTED IN THE FOLLOWING: *msg-*
token

+364 DECFLOAT EXCEPTION *exception-type* HAS OCCURRED DURING
operation-type OPERATION, POSITION *position-type*
ASSIGNMENT TO AN SQLSTATE OR SQLCODE VARIABLE IN AN SQL
+385 ROUTINE *routine-name* MAY BE OVERWRITTEN AND DOES NOT
ACTIVATE ANY HANDLER

+394 ALL USER SPECIFIED OPTIMIZATION HINTS USED DURING ACCESS
PATH SELECTION

+395 USER SPECIFIED OPTIMIZATION HINTS ARE INVALID (REASON CODE=
'reason-code'). THE OPTIMIZATION HINTS ARE IGNORED

+402 LOCATION *location* IS UNKNOWN

+403 THE LOCAL OBJECT REFERENCED BY CREATE ALIAS STATEMENT DOES
NOT EXIST

+434 *clause* IS A DEPRECATED FEATURE

+438 APPLICATION RAISED WARNING WITH DIAGNOSTIC TEXT: *text*

+440 NO *routine-type* BY THE NAME *routine-name* HAVING COMPATIBLE
ARGUMENTS WAS FOUND

+445 VALUE *value* HAS BEEN TRUNCATED

+462 EXTERNAL FUNCTION OR PROCEDURE *name* (SPECIFIC NAME
specific-name) HAS RETURNED A WARNING SQLSTATE, WITH
DIAGNOSTIC TEXT *text*

+464 PROCEDURE *proc* RETURNED *num* QUERY RESULT SETS, WHICH
EXCEEDS THE DEFINED LIMIT *integer*

+466 CREATE PROCEDURE *proc* RETURNED *num* QUERY RESULTS SETS
+494 NUMBER OF RESULT SETS IS GREATER THAN NUMBER OF LOCATORS
ESTIMATED PROCESSOR COST OF *estimate-amount1* PROCESSOR
SECONDS (*estimate-amount2* SERVICE UNITS) IN COST CATEGORY
+495 *cost-category* EXCEEDS A RESOURCE LIMIT WARNING THRESHOLD OF
limit-amount SERVICE UNITS

+535 THE RESULT OF THE POSITIONED UPDATE OR DELETE MAY DEPEND ON
THE ORDER OF THE ROWS

+541 THE REFERENTIAL OR UNIQUE CONSTRAINT *name* HAS BEEN IGNORED
BECAUSE IT IS A DUPLICATE

+551 *auth-id* DOES NOT HAVE THE PRIVILEGE TO PERFORM OPERATION
operation ON OBJECT *object-name*

+552 *auth-id* DOES NOT HAVE THE PRIVILEGE TO PERFORM OPERATION
operation

+558 THE WITH GRANT OPTION IS IGNORED

+561 THE ALTER, INDEX, REFERENCES, AND TRIGGER PRIVILEGES CANNOT
BE GRANTED PUBLIC AT ALL LOCATIONS

+562 A GRANT OF A PRIVILEGE WAS IGNORED BECAUSE THE GRANTEE
ALREADY HAS THE PRIVILEGE FROM THE GRANTOR

+585 THE COLLECTION *collection-id* APPEARS MORE THAN ONCE WHEN
SETTING THE *special-register* SPECIAL REGISTER

+599 COMPARISON FUNCTIONS ARE NOT CREATED FOR A DISTINCT TYPE
BASED ON A LONG STRING DATA TYPE

+610 A CREATE/ALTER ON OBJECT *object-name* HAS PLACED OBJECT IN
utility PENDING

+650 THE TABLE BEING CREATED OR ALTERED CANNOT BECOME A
DEPENDENT TABLE

+653 TABLE *table-name* IN PARTITIONED TABLESPACE *tspace-name* IS
NOT AVAILABLE BECAUSE ITS PARTITIONED INDEX HAS NOT BEEN
CREATED

+655 STOPGROUP *stogroup_name* HAS BOTH SPECIFIC AND NON-SPECIFIC
VOLUME IDS. IT WILL NOT BE ALLOWED IN FUTURE RELEASES

+658 THE SUBPAGES VALUE IS IGNORED FOR THE CATALOG INDEX *index-
name*

+664 THE INTERNAL LENGTH OF THE LIMIT-KEY FIELDS SPECIFIED IN
THE PARTITION CLAUSE OF THE *statement-name* STATEMENT
EXCEEDS THE EXISTING INTERNAL LIMIT KEY LENGTH STORED IN
CATALOG TABLE *table-name*

+738 DEFINITION CHANGE OF *object object-name* MAY REQUIRE SIMILAR
CHANGE ON READ-ONLY SYSTEMS

+799 A SET STATEMENT REFERENCES A SPECIAL REGISTER THAT DOES NOT
EXIST AT THE SERVER SITE

+802 EXCEPTION ERROR *exception-type* HAS OCCURRED DURING
operation-type OPERATION ON *data-type* DATA, POSITION
position-number

+806 BIND ISOLATION LEVEL RR CONFLICTS WITH TABLESPACE LOCKSIZE
PAGE OR LOCKSIZE ROW AND LOCKMAX 0

+807 THE RESULT OF DECIMAL MULTIPLICATION MAY CAUSE OVERFLOW

+863 THE CONNECTION WAS SUCCESSFUL BUT ONLY SBCS WILL BE
SUPPORTED

+883 ROLLBACK TO SAVEPOINT OCCURRED WHEN THERE WERE OPERATIONS
THAT CANNOT BE UNDONE, OR AN OPERATION THAT CANNOT BE
UNDONE WAS PERFORMED WHEN THERE WAS A SAVEPOINT OUTSTANDING

+4726 THE STATEMENT WAS SUCCESSFULLY PREPARED, BUT IT CANNOT BE
EXECUTED

A SECTION WAS BOUND SUCCESSFULLY, BUT AN ERROR OCCURRED
WHEN A STATEMENT IN A RELATED EXTENDED SECTION WAS BOUND.
+4745 INFORMATION RETURNED: SECTION NUMBER *section-number*,
SQLCODE *sqlcode*, SQLSTATE *sqlstate*, AND MESSAGE TOKENS
token-list

bind-type WARNING FOR PACKAGE = *package-name*, THE USE OF
+4751 *keyword* RESULTED IN UNSUCCESSFUL COMPLETION FOR ONE OR MORE
STATEMENTS

THE *clause* SPECIFICATION IS IGNORED FOR THE OBJECT *object-*
+20002 *name*

USE OF OPTIMIZATION HINTS IS DISALLOWED BY A DB2 SUBSYSTEM
+20007 THE SPECIAL REGISTER 'OPTIMIZATION HINT' IS SET TO THE
DEFAULT VALUE OF BLANKS

DEFINE NO OPTION IS NOT APPLICABLE IN THE CONTEXT SPECIFIED
+20122 TRUNCATION OF VALUE WITH LENGTH *length* OCCURRED FOR *hv-or-*
+20141 *parm-number*

ROLLBACK TO SAVEPOINT CAUSED A NOT LOGGED TABLE SPACE TO BE
+20187 PLACED IN THE LPL

FETCH PRIOR ROWSET FOR CURSOR *cursor-name* RETURNED A
+20237 PARTIAL ROWSET

NOT PADDED CLAUSE IS IGNORED FOR INDEXES CREATED ON
+20245 AUXILIARY TABLES

OPTION NOT SPECIFIED FOLLOWING ALTER PARTITION CLAUSE
+20270 THE NAME AT ORDINAL POSITION *position number* IN THE
+20271 STATEMENT, WITH NAME *object-name*, WAS TRUNCATED

TABLE SPACE *table-space-name* HAS BEEN CONVERTED TO USE
+20272 TABLE-CONTROLLED PARTITIONING INSTEAD OF INDE CONTROLLED
PARTIONING, ADDITIONAL INFORMATION *old-limit-key-value*

OWNERSHIP TRANSFER WAS IGNORED BECAUSE *auth-id* IS ALREADY
+20341 THE OWNER OF THE OBJECT

THE PATH VALUE HAD BEEN TRUNCATED
+20348

TRUSTED CONNECTION CAN NOT BE ESTABLISHED FOR SYSTEM AUTHID
+20360 *authorization-name*

A SIGNALING NAN WAS ENCOUNTERED, OR AN EXCEPTION OCCURRED
+20365 IN AN ARITHIMETIC OPERATION OR FUNCTION INVOLVING A
DECFLOAT

OPTION *clause* IS NOT SUPPORT IN THE CONTEXT IN WHICH IS WAS
+20367 SPECIFIED

THE ABILITY TO USE TRUSTED CONTEXT *context-name* WAS REMOVED
+20371 FROM SOME, BUT NOT ALL AUTHORIZATION IDS SPECIFIED IN THE
STATEMENT

+20378 A NON-ATOMIC statement STATEMENT SUCCESSFULLY COMPLETED FOR SOME OF THE REQUESTED ROWS, POSSIBLY WITH WARNING, AND ONE OR MORE ERRORS, AND THE CURSOR CAN BE USED

+20458 THE PROCEDURE *procedure-name* HAS ENCOUNTERED AN INTERNAL PARAMETER PROCESSING ERROR IN PARAMETER *number1*. THE VALUE FOR PARAMETER *number2* CONTAINS FURTHER INFORMATION ABOUT THE ERROR

+20459 THE PROCEDURE *procedure-name* HAD ENCOUNTERED AN INTERNAL PARAMETER PROCESSING ERROR. THE VALUE FOR PARAMETER *number* CONTAINS FURTHER INFORMATION ABOUT THE ERROR

+20460 THE PROCEDURE *procedure-name* SUPPORTS A HIGHER VERSION, *version1*. THAN THE SPECIFIED VERSION, *version2*, FOR PARAMETER *number*

+20461 THE PROCEDURE *procedure-name* RETURNED OUTPUT IN THE ALTERNATE LOCALE, *locale1*, INSTEAD OF THE LOCALE *locale2*, SPECIFIED IN PARAMETER *number*

+20468 THE COMBINATION OF TARGET NAMESPACE *target-namespace* AND SCHEMA LOCATION HINT *location-hint* IS NOT UNIQUE IN THE DB2 XML SCHEMA REPOSITORY

+20520 ATTEMPT TO USE A DEPRECATED FEATURE ON OBJECT *object-name*. REASON CODE *reason-code*

+20543 A SYSTEM PARAMETER WAS OVERRIDDEN FOR *object-name* WHEN PROCESSING THE *statement-name* STATEMENT. REASON *reason-code*

+30100 OPERATION COMPLETED SUCCESSFULLY BUT A DISTRIBUTION PROTOCOL VIOLATION HAS BEEN DETECTED. ORIGINAL SQLCODE=*original-sqlcode* AND ORIGINAL SQLSTATE=*original-sqlstate*

Disclaimer: This Db2® 12 for z/OS Reference Guide was developed to help users in their daily activities in administrating and programming in Db2 for z/OS. There are no guarantees expressed or implied with the contents in this guide. We want to provide a quality and useful reference for users. Please notify us of any mistakes or errors in this reference guide at blogs@bmc.com. Db2 is a registered trademark of the IBM Corporation.