


CREATING & USING SNOWFLAKE STREAMS



In this tutorial, we'll show how to create and use streams in Snowflake.

(This article is part of our [Snowflake Guide](#). Use the right-hand menu to navigate.)

Streams in Snowflake explained

A Snowflake stream—short for table stream—keeps track of changes to a table. You can use Snowflake streams to:

- Emulate triggers in Snowflake (unlike triggers, streams don't fire immediately)
- Gather changes in a staging table and update some other table based on those changes at some frequency

Tutorial use case

Here we create a sample scenario: an inventory replenishment system. When we receive replenishment orders, we need to increase on-hand inventory.

We run this task manually. In actual use, you would want to run it as a Snowflake task on some kind of fixed schedule.

Create the data, stream & tables

In order to follow along, create the orders and products table:

- Orders are inventory movements.
- Products holds the inventory on-hand quantity.

If you start with 25 items and make three replenishment orders of 25, 25, and 25, you would have 100 items on hand at the end. Sum those three orders and add 75 to the starting balance of 25 to get 100.

Create these two tables:

```
CREATE TABLE orders
(
  customernumber    varchar(100) PRIMARY KEY,
  ordernumber       varchar(100),
  comments          varchar(200),
  orderdate         date,
  ordertype         varchar(10),
  shipdate          date,
  discount          number,
  quantity          int,
  productnumber     varchar(50)
)
```

```
create table products (
  productnumber varchar(50) primary key,
  movementdate  datetime,
  quantity       number,
  movementtype  varchar(10));
```

Now, add a product to the products table and give it a starting 100 units on-hand inventory.

```
insert into products(productnumber, quantity) values ('EE333', 100);
```

Now create a stream on the orders table. Snowflake will start tracking changes to that table.

```
CREATE OR REPLACE STREAM orders_STREAM on table orders;
```

Now create an order.

```
insert into orders
(customernumber,ordernumber,comments,orderdate,ordertype,shipdate,discount,qu
antity,productnumber) values
('855','533','jqplygemaq','2020-10-08','sale','2020-10-18','0.105031435964960
34','65','EE333')
```

Then query the orders_stream table:

```
select * from orders_stream
```

Here are the results. You can see that we added one record.

CUSTOMER NUMBER	ORDER NUMBER	COMMENTS	ORDER DATE	ORDER TYPE	SHIP DATE	
855	533	<u>jqplygemag</u>	2020-10-08	sale	2020-10-18	
DISCOUNT	QUANTITY	PRODUCTNUMBER	PRICE	METADATA\$ACTION	METADATA\$ISUPDATE	METADATA\$ROW_ID
0	65	CC222		INSERT	FALSE	7bdcbe0e7522602459e9eb7bfc17eec5368901fb

Update on-hand inventory

We have received 65 more items into inventory, so we need to update the inventory balance. Procedure as follows.

Start a transaction using the **begin** statement.

```
begin;
```

Then run this update statement, which basically:

- Sums the orders for each product
- Adds the sum of orders quantities to the original inventory balance.

This update statement gets the product numbers from the orders stream table. That's the table that tells Snowflake which products need to have their inventory updated.

```
update products
  set quantity = onhand
  from
    (select distinct p.productnumber,
      p.quantity as dquantity,
      o.quantity ,
      p.quantity + o.quantity as onhand
     from products p
     inner join orders o on
      p.productnumber = o.productnumber) as z
  where z.productnumber = (select productnumber from orders_stream)

commit;
```

At this point the orders_stream table is emptied, which happens when you execute a read on it.

(Note: Begin and commit make a transaction, which is a logically related set of SQL statements. They lock the tables involved. Without that, you could end up with a mismatched situation, like an incorrect inventory balance because one transaction worked and the other did not.)

Now query orders_stream and you will see that the table is empty.

Additional resources

For more tutorials like this, explore these resources:

- [BMC Machine Learning & Big Data Blog](#)
- [Snowflake Window Functions: Partition By and Order By](#)
- [Amazon Braket Quantum Computing: How To Get Started](#)